VERIVIAL LABS

Independent Analytical Testing | RP-HPLC-UV

Certificate of Analysis

Result: PASS

REPORT NUMBER	VVL-2026-000074
ISSUE DATE	2026-10-31
VERIFICATION ID	VVL-UDBM-6STM-4AX9
REPORT ISSUED TO	Nexen Compounds

Scan to verify

SAMPLE INFORMATION

SAMPLE ID	**PEPTIDE / SAMPLE NAME**	**LABELED AMOUNT / STRENGTH**
VVL-261027-1385-04	Retatrutide	20MG
LOT / BATCH	**MANUFACTURER / BRAND / SUPPLIER**	
20261027LOP	Not provided	

ANALYTICAL RESULTS

PURITY	**MASS (MGS)**	**ANALYTE ID (PEPTIDE ID)**
99.75%	20.89 MGs	Retatrutide
IDENTITY SCREENING RESULT	**TESTING DATE**	**ANALYST**
PASS	2026-10-30	Chief Lab Analyst- E.C.


METHOD / LABORATORY NOTES

Method: RP-HPLC-UV. RP-HPLC-UV

CHROMATOGRAPHIC DATA

SAMPLE IMAGE





Illustrative peak-time plot - not raw instrument data.

Verify this COA: https://www.veriviallabs.com/verify/VVL-UDBM-6STM-4AX9

Results apply only to the submitted sample. RP-HPLC-UV identity screening does not establish safety, sterility, efficacy or suitability for human use.